


DIAMOND SAW BLADE




Segmented saw blade (Cold pressed) $\phi 105-\phi 400$

Art No.	Outer Diameter		Hole Diameter		Segment Dimension	Segment Number
	Inches	Metric(MM)	Inches	Metric(MM)		
EC01001	4"	105	$\frac{5}{8}"/20\frac{1}{8}"$	16/20/22.23	1.8x7.0x35	8
EC01002	4.3"	110	$\frac{5}{8}"/20\frac{1}{8}"$	16/20/22.23	1.9x7.0x32.3	8
EC01003	4.5"	115	$20\frac{1}{8}"$	20/22.23	1.9x7.0x38.3	8
EC01004	5"	125	$20\frac{1}{8}"$	20/22.23	2.0x7.0x37.5	9
EC01005	6"	150	$20\frac{1}{8}"$	20/22.23	2.0x7.0x33.5	12
EC01006	7"	180	$\frac{7}{8}"/1\frac{1}{4}"/1\frac{1}{2}"$	22.23/25.4/30	2.2x7.0x35	14
EC01007	8"	200	$\frac{7}{8}"/1\frac{1}{4}"/1\frac{1}{2}"$	22.23/25.4/30	2.4x7.0x34.4	14
EC01008	9"	230	$\frac{7}{8}"/1\frac{1}{4}"/1\frac{1}{2}"/2"$	22.23/25.4/30/50	2.4x7.2x34.4	18
EC01009	10"	250	$\frac{7}{8}"/1\frac{1}{4}"/1\frac{1}{2}"/2"$	22.23/25.4/30/50	2.8x7.5x37	18
EC01010	12"	300	$\frac{7}{8}"/1\frac{1}{4}"/1\frac{1}{2}"/2"$	22.23/25.4/30/50	3.2x7.5x35	22
EC01011	14"	350	$\frac{7}{8}"/1\frac{1}{4}"/1\frac{1}{2}"/2"$	22.23/25.4/30/50	3.2x7.5x40	24
EC01012	16"	400	$\frac{7}{8}"/1\frac{1}{4}"/1\frac{1}{2}"/2"$	22.23/25.4/30/50	3.4x7.5x40	28

Segmented saw blade (Hot pressed) $\phi 80-\phi 400$

Art No.	Outer Diameter		Hole Diameter		Segment Dimension	Segment Number
	Inches	Metric(MM)	Inches	Metric(MM)		
EC02001	3"	80	$\frac{5}{8}"/20\frac{1}{8}"$	16/20/22.23	1.8x7.0x35	6
EC02002	4"	105	$\frac{5}{8}"/20\frac{1}{8}"$	16/20/22.23	1.8x7.0x35	8
EC02003	4.3"	110	$\frac{5}{8}"/20\frac{1}{8}"$	16/20/22.23	1.9x7.0x32.3	8
EC02004	4.5"	115	$20\frac{1}{8}"$	20/22.23	1.9x7.0x38.3	8
EC02005	5"	125	$20\frac{1}{8}"$	20/22.23	2.0x7.0x37.5	9
EC02006	6"	150	$20\frac{1}{8}"$	20/22.23	2.0x7.0x33.5	12
EC02007	7"	180	$\frac{7}{8}"/1\frac{1}{4}"/1\frac{1}{2}"$	22.23/25.4/30	2.2x7.0x35	14
EC02008	8"	200	$\frac{7}{8}"/1\frac{1}{4}"/1\frac{1}{2}"$	22.23/25.4/30	2.4x7.0x34.4	14
EC02009	9"	230	$\frac{7}{8}"/1\frac{1}{4}"/1\frac{1}{2}"/2"$	22.23/25.4/30/50	2.4x7.2x34.4	18
EC02010	10"	250	$\frac{7}{8}"/1\frac{1}{4}"/1\frac{1}{2}"/2"$	22.23/25.4/30/50	2.8x7.5x37	18
EC02011	12"	300	$\frac{7}{8}"/1\frac{1}{4}"/1\frac{1}{2}"/2"$	22.23/25.4/30/50	3.2x7.5x35	22
EC02012	14"	350	$\frac{7}{8}"/1\frac{1}{4}"/1\frac{1}{2}"/2"$	22.23/25.4/30/50	3.2x7.5x40	24
EC02013	16"	400	$\frac{7}{8}"/1\frac{1}{4}"/1\frac{1}{2}"/2"$	22.23/25.4/30/50	3.4x7.5x40	28



DIAMOND SAW BLADE

Continuous rim saw blade (Cold pressed)

ø50-ø400



Art No.	Outer Diameter		Hole Diameter		Segment Dimension
	Inches	Metric(MM)	Inches	Metric(MM)	
EC03001	2"	50	5/8"	15.88	1.6x7.0
EC03002	3"	80	5/8"	15.88	1.6x7.0
EC03003	4"	105	5/8"/20 ^f / ₁₆ "	16/20/22.23	1.8x7.0
EC03004	4.3"	110	5/8"/20 ^f / ₁₆ "	16/20/22.23	1.8x7.0
EC03005	4.5"	115	20 ^f / ₁₆ "	20/22.23	1.9x7.0
EC03006	5"	125	20 ^f / ₁₆ "	20/22.23	2.0x7.0
EC03007	6"	150	20 ^f / ₁₆ "	20/22.23	2.0x7.0
EC03008	7"	180	7/8"/1" ¹⁵ / ₁₆ "	22.23/25.4/30	2.2x7.0
EC03009	8"	200	7/8"/1" ¹⁵ / ₁₆ "	22.23/25.4/30	2.4x7.0
EC03010	9"	230	7/8"/1" ¹⁵ / ₁₆ "	22.23/25.4/30/50	2.4x7.2
EC03011	10"	250	7/8"/1" ¹⁵ / ₁₆ "	22.23/25.4/30/50	2.8x7.5
EC03012	12"	300	7/8"/1" ¹⁵ / ₁₆ "	22.23/25.4/30/50	3.2x7.5
EC03013	14"	350	7/8"/1" ¹⁵ / ₁₆ "	22.23/25.4/30/50	3.2x7.5
EC03014	16"	400	7/8"/1" ¹⁵ / ₁₆ "	22.23/25.4/30/50	3.4x7.5

Continuous rim saw blade (Hot pressed)

ø105-ø350



Art No.	Outer Diameter		Hole Diameter		Segment Dimension
	Inches	Metric(MM)	Inches	Metric(MM)	
EC04001	4"	105	5/8"/20 ^f / ₁₆ "	16/20/22.23	1.8x7.0
EC04002	4.3"	110	5/8"/20 ^f / ₁₆ "	16/20/22.23	1.9x7.0
EC04003	4.5"	115	20 ^f / ₁₆ "	20/22.23	1.9x7.0
EC04004	5"	125	20 ^f / ₁₆ "	20/22.23	2.0x7.0
EC04005	6"	150	20 ^f / ₁₆ "	20/22.23	2.0x7.0
EC04006	7"	180	7/8"/1" ¹⁵ / ₁₆ "	22.23/25.4/30	2.2x7.0
EC04007	8"	200	7/8"/1" ¹⁵ / ₁₆ "	22.23/25.4/30	2.4x7.0
EC04008	9"	230	7/8"/1" ¹⁵ / ₁₆ "	22.23/25.4/30/50	2.4x7.2
EC04009	10"	250	7/8"/1" ¹⁵ / ₁₆ "	22.23/25.4/30/50	2.8x7.5
EC04010	12"	300	7/8"/1" ¹⁵ / ₁₆ "	22.23/25.4/30/50	3.2x7.5
EC04011	14"	350	7/8"/1" ¹⁵ / ₁₆ "	22.23/25.4/30/50	3.2x7.5
EC04012	16"	400	7/8"/1" ¹⁵ / ₁₆ "	22.23/25.4/30/50	3.4x7.5

Turbo saw blade

ø105-ø350



Art No.	Outer Diameter		Hole Diameter		Segment Dimension
	Inches	Metric(MM)	Inches	Metric(MM)	
EC05001	4"	105	5/8"/20 ^f / ₁₆ "	16/20/22.23	2.0x7.0
EC05002	4.3"	110	5/8"/20 ^f / ₁₆ "	16/20/22.23	2.0x7.0
EC05003	4.5"	115	20 ^f / ₁₆ "	20/22.23	2.0x7.0
EC05004	5"	125	20 ^f / ₁₆ "	20/22.23	2.2x7.0
EC05005	6"	150	20 ^f / ₁₆ "	20/22.23	2.2x7.0
EC05006	7"	180	7/8"/1" ¹⁵ / ₁₆ "	22.23/25.4/30	2.4x7.0
EC05007	8"	200	7/8"/1" ¹⁵ / ₁₆ "	22.23/25.4/30	2.6x7.2
EC05008	9"	230	7/8"/1" ¹⁵ / ₁₆ "	22.23/25.4/30/50	2.8x7.5
EC05009	10"	250	7/8"/1" ¹⁵ / ₁₆ "	22.23/25.4/30/50	3.0x7.5
EC05010	12"	300	7/8"/1" ¹⁵ / ₁₆ "	22.23/25.4/30/50	3.2x7.5
EC05011	14"	350	7/8"/1" ¹⁵ / ₁₆ "	22.23/25.4/30/50	3.4x7.5

DIAMOND SAW BLADE

CUTTING TOOLS



Turbo saw blade(with flange)

ø115-ø300

Art No.	Outer Diameter		Hole Diameter	Segment Dimension
	Inches	Metric(MM)		
EC06001	4.5"	115	20/22.23	2.0x7.0
EC06002	5"	125	20/22.23	2.2x7.0
EC06003	6"	150	20/22.23	2.2x7.0
EC06004	7"	180	22.23/25.4/30	2.4x7.0
EC06005	8"	200	22.23/25.4/30	2.6x7.0
EC06006	9"	230	22.23/25.4/30	2.6x7.5
EC06007	10"	250	22.23/25.4/30/50	2.8x8.0
EC06008	12"	300	22.23/25.4/30/50	3.2x8.0

CUTTING TOOLS

Turbo wave saw blade

ø105-ø300



Art No.	Outer Diameter		Hole Diameter	Segment Dimension
	Inches	Metric(MM)		
EC07001	4"	105	16/20/22.23	2.0x7.0
EC07002	4.3"	110	16/20/22.23	2.0x7.0
EC07003	4.5"	115	20/22.23	2.0x7.0
EC07004	5"	125	20/22.23	2.2x7.0
EC07005	6"	150	20/22.23	2.2x7.0
EC07006	7"	180	22.23/25.4/30	2.4x7.0
EC07007	8"	200	22.23/25.4/30	2.6x7.0
EC07008	9"	230	22.23/25.4/30	2.6x7.5
EC07009	10"	250	22.23/25.4/30/50	2.8x8.0
EC07010	12"	300	22.23/25.4/30/50	3.2x8.0

Turbo wave saw blade(with flange)

ø105-ø300




Art No.	Outer Diameter		Hole Diameter		Segment Dimension
	Inches	Metric(MM)	Inches	Metric(MM)	
EC08001	4"	105	5/8"/20/1/8"	16/20/22.23	2.0x7.0
EC08002	4.3"	110	5/8"/20/1/8"	16/20/22.23	2.0x7.0
EC08003	4.5"	115	20/1/8"	20/22.23	2.0x7.0
EC08004	5"	125	20/1/8"	20/22.23	2.2x7.0
EC08005	6"	150	20/1/8"	20/22.23	2.2x7.0
EC08006	7"	180	7/8"/1"/1 1/2"	22.23/25.4/30	2.4x7.0
EC08007	8"	200	7/8"/1"/1 1/2"	22.23/25.4/30	2.6x7.0
EC08008	9"	230	7/8"/1"/1 1/2"/2"	22.23/25.4/30	2.6x7.5
EC08009	10"	250	7/8"/1"/1 1/2"/2"	22.23/25.4/30/50	2.8x8.0
EC08010	12"	300	7/8"/1"/1 1/2"/2"	22.23/25.4/30/50	3.2x8.0

DIAMOND SAW BLADE

CUTTING TOOLS

CUTTING TOOLS




I



II



VII




VIII




III



IV



IX



V



VI

Style diamond saw blade o105-o230

Art No.	Outer Diameter		Hole Diameter		Segment Dimension	Segment Number
	Inches	Metric(MM)	Inches	Metric(MM)		
EC09001	4"	105	$\frac{5}{8}$ "/20 $\frac{1}{8}$ "	16/20/22.23	2.0x7.0	8
EC09002	4.3"	110	$\frac{5}{8}$ "/20 $\frac{1}{8}$ "	16/20/22.23	2.0x7.0	9
EC09003	4.5"	115	20 $\frac{1}{8}$ "	20/22.23	2.0x7.0	8
EC09004	5"	125	20 $\frac{1}{8}$ "	20/22.23	2.2x7.0	9
EC09005	6"	150	20 $\frac{1}{8}$ "	20/22.23	2.2x7.0	12
EC09006	7"	180	$\frac{7}{8}$ "/1" $\frac{1}{16}$ "	22.23/25.4/30	2.4x7.0	14
EC09007	8"	200	$\frac{7}{8}$ "/1" $\frac{1}{16}$ "	22.23/25.4/30	2.6x7.0	14
EC09008	9"	230	$\frac{7}{8}$ "/1" $\frac{1}{16}$ " / 2"	22.23/25.4/30/50	2.6x7.2	18


DIAMOND SAW BLADE

Tuck point blade

ø80-ø400

CUTTING TOOLS


CUTTING TOOLS




Art No.	Outer Diameter		Hole Diameter		Segment Dimension	Segment Number
	Inches	Metric(MM)	Inches	Metric(MM)		
EC10001	3"	80	5/8"/20 ¹ / ₈ "	16/20/22.23	6.4x7.0x30	6
EC10002	4"	105	5/8"/20 ¹ / ₈ "	16/20/22.23	6.4x7.0x35	8
EC10003	4.3"	110	5/8"/20 ¹ / ₈ "	16/20/22.23	6.4x7.0x32.3	8
EC10004	4.5"	115	20 ¹ / ₈ "	20/22.23	6.4x7.0x34	8
EC10005	5"	125	20 ¹ / ₈ "	20/22.23	6.4x7.0x37.5	9
EC10006	6"	150	20 ¹ / ₈ "	20/22.23	6.4x7.0x35	12
EC10007	7"	180	7/8"/1"/1 ¹ / ₂ "	22.23/25.4/30	6.4x7.0x35	14
EC10008	8"	200	7/8"/1"/1 ¹ / ₂ "	22.23/25.4/30	6.4x7.0x34.6	14
EC10009	9"	230	7/8"/1"/1 ¹ / ₂ "	22.23/25.4/30/50	6.4x7.2x34.4	18
EC10010	10"	250	7/8"/1"/1 ¹ / ₂ "	22.23/25.4/30/50	6.4x7.2x34	18
EC10011	12"	300	7/8"/1"/1 ¹ / ₂ "	22.23/25.4/30/50	6.4x7.5x40	21
EC10012	14"	350	7/8"/1"/1 ¹ / ₂ "	22.23/25.4/30/50	6.4x7.5x40	24
EC10013	16"	400	7/8"/1"/1 ¹ / ₂ "	22.23/25.4/30/50	6.4x7.5x40	28




I



II



III



IV

High frequency welded, Laser welded

Concrete/Abrasive Materials/Asphalt Marble/Granite

ø230-ø700



V



VI

Art No.	Outer Diameter		Hole Diameter		Segment Dimension	Segment Number
	Inches	Metric(MM)	Inches	Metric(MM)		
EC11001	9"	230	20 ¹ / ₈ "	20/22.23	2.5x7x40	16
EC11002	10"	250	7/8"/1"	22.23/25.4	2.5x7x40	17/18
EC11003	12"	300	1"/2"	25.4/50	2.8x7x40	20/21
EC11004	14"	350	1"/2"	25.4/50	2.8x7x40	24
EC11005	16"	400	1"/2"	25.4/50	3.2x7x40	28
EC11006	18"	450	1"/2"	25.4/50	3.2x7x40	32
EC11007	20"	500	1"/2"	25.4/50	3.2x7x40	36
EC11008	22"	550	1"/2"	25.4/50	3.2x7x40	38
EC11009	24"	600	1"/2"	25.4/50	3.2x7x40	42
EC11010	26"	650	1"/2"	25.4/50	3.2x7x40	44
EC11011	28"	700	1"/2"	25.4/50	3.2x7x40	45

DIAMOND SAW BLADE

CUTTING TOOLS



Single rim grinding wheel

ø80-ø230

Art No.	Outer Diameter		Hole Diameter		Segment Dimension	Segment Number
	Inches	Metric(MM)	Inches	Metric(MM)		
CF27001	3"	80	5/8"	15.88	30x5x8	6
CF27002	4"	105	5/8"/20 ^f /8"	16/20/22.23	30x5x8	7
CF27003	4.3"	110	5/8"/20 ^f /8"	16/20/22.23	30x5x8	8
CF27004	4.5"	115	20 ^f /8"	20/22.23	30x5x8	9
CF27005	5"	125	20 ^f /8"	20/22.23	30x5x8	10
CF27006	6"	150	20 ^f /8"	20/22.23	30x5x8	12
CF27007	7"	180	7/8"/1" ¹⁵ /2"	22.23/25.4/30	30x5x8	14
CF27008	8"	200	7/8"/1" ¹⁵ /2"	22.23/25.4/30	30x5x8	14
CF27009	9"	230	7/8"/1" ¹⁵ /2"	22.23/25.4/30/50	30x5x8	18

CUTTING TOOLS



High frequency welded double row grinding wheel

ø230-ø700

Art No.	Outer Diameter		Hole Diameter		Segment Dimension	Segment Number
	Inches	Metric(MM)	Inches	Metric(MM)		
EC12001	3"	80	5/8"	15.88	20/30x5x8	12
EC12002	4"	105	5/8"/20 ^f /8"	16/20/22.23	20/30x5x8	14
EC12003	4.3"	110	5/8"/20 ^f /8"	16/20/22.23	20/30x5x8	16
EC12004	4.5"	115	20 ^f /8"	20/22.23	20/30x5x8	18
EC12005	5"	125	20 ^f /8"	20/22.23	20/30x5x8	20
EC12006	6"	150	20 ^f /8"	20/22.23	20/30x5x8	24
EC12007	7"	180	7/8"/1" ¹⁵ /2"	22.23/25.4/30	20/30x5x8	28
EC12008	8"	200	7/8"/1" ¹⁵ /2"	22.23/25.4/30	20/30x5x8	32
EC12009	9"	230	7/8"/1" ¹⁵ /2"	22.23/25.4/30/50	20/30x5x8	36

Continuous rim grinding wheel

ø80-ø230




Art No.	Outer Diameter		Hole Diameter		Segment Dimension
	Inches	Metric(MM)	Inches	Metric(MM)	
EC13001	3"	80	5/8"	15.88	5x10
EC13002	4"	105	5/8"/20 ^f /8"	16/20/22.23	5x10
EC13003	4.3"	110	5/8"/20 ^f /8"	16/20/22.23	5x10
EC13004	4.5"	115	20 ^f /8"	20/22.23	5x10
EC13005	5"	125	20 ^f /8"	20/22.23	5x10
EC13006	6"	150	20 ^f /8"	20/22.23	5x10
EC13007	7"	180	7/8"/1" ¹⁵ /2"	22.23/25.4/30	5x10
EC13008	8"	200	7/8"/1" ¹⁵ /2"	22.23/25.4/30	5x10
EC13009	9"	230	7/8"/1" ¹⁵ /2"	22.23/25.4/30/50	5x10

DIAMOND SAW BLADE

Turbo grinding wheel

ø80-ø230



Art No.	Outer Diameter		Hole Diameter		Segment Dimension
	Inches	Metric(MM)	Inches	Metric(MM)	
EC14001	3"	80	5/8"	15.88	5x20
EC14002	4"	105	5/8"/20/1/8"	16/20/22.23	5x20
EC14003	4.3"	110	5/8"/20/1/8"	16/20/22.23	5x20
EC14004	4.5"	115	20/1/8"	20/22.23	5x20
EC14005	5"	125	20/1/8"	20/22.23	5x20
EC14006	6"	150	20/1/8"	20/22.23	5x20
EC14007	7"	180	7/8"/1"/1 1/2"	22.23/25.4/30	5x20
EC14008	8"	200	7/8"/1"/1 1/2"	22.23/25.4/30	5x20
EC14009	9"	230	7/8"/1"/1 1/2"/2"	22.23/25.4/30/50	5x20

Wide tooth turbo grinding wheel

ø80-ø180



Art No.	Outer Diameter		Hole Diameter		Segment Dimension	Segment Number
	Inches	Metric(MM)	Inches	Metric(MM)		
EC15001	3"	80	5/8"	15.88	4x10	6
EC15002	4"	105	5/8"/20/1/8"	16/20/22.23	4x10	8
EC15003	4.3"	110	5/8"/20/1/8"	16/20/22.23	4x10	9
EC15004	4.5"	115	20/1/8"	20/22.23	4x10	8
EC15005	5"	125	20/1/8"	20/22.23	4x10	9
EC15006	6"	150	20/1/8"	20/22.23	4x10	12
EC15007	7"	180	7/8"/1"/1 1/2"	22.23/25.4/30	4x10	14

Turbo grinding wheel(with thread)

ø80-ø230



Art No.	Outer Diameter		Hole Diameter		Segment Dimension
	Inches	Metric(MM)	Inches	Metric(MM)	
EC16001	3"	80	5/8"	15.88	5x20
EC16002	4"	105	5/8"/20/1/8"	16/20/22.23	5x20
EC16003	4.3"	110	5/8"/20/1/8"	16/20/22.23	5x20
EC16004	4.5"	115	20/1/8"	20/22.23	5x20
EC16005	5"	125	20/1/8"	20/22.23	5x20
EC16006	6"	150	20/1/8"	20/22.23	5x20
EC16007	7"	180	7/8"/1"/1 1/2"	22.23/25.4/30	5x20
EC16008	8"	200	7/8"/1"/1 1/2"	22.23/25.4/30	5x20
EC16009	9"	230	7/8"/1"/1 1/2"/2"	22.23/25.4/30/50	5x20

DIAMOND SAW BLADE



Turbo grinding wheel

ø80-ø180

Art No.	Outer Diameter		Hole Diameter		Segment Dimension
	Inches	Metric(MM)	Inches	Metric(MM)	
EC17001	3"	80	5/8"	15.88	3x10
EC17002	4"	105	5/8"/20/18"	16/20/22.23	3x10
EC17003	4.3"	110	5/8"/20/18"	16/20/22.23	3x10
EC17004	4.5"	115	20/18"	20/22.23	3x10
EC17005	5"	125	20/18"	20/22.23	3x10
EC17006	6"	150	20/18"	20/22.23	3x10
EC17007	7"	180	7/8"/1 1/4"/1 1/2"	22.23/25.4/30	3x10

CUTTING TOOLS

CUTTING TOOLS



Skewed grinding wheel

ø105-ø230

Art No.	Outer Diameter		Hole Diameter		Segment Dimension	Segment Number
	Inches	Metric(MM)	Inches	Metric(MM)		
EC18001	4"	105	5/8"/20/18"	16/20/22.23	5x10x20	10
EC18002	4.3"	110	5/8"/20/18"	16/20/22.23	5x10x20	10
EC18003	4.5"	115	20/18"	20/22.23	5x10x20	10
EC18004	5"	125	20/18"	20/22.23	5x10x20	12
EC18005	6"	150	20/18"	20/22.23	5x10x20	14
EC18006	7"	180	7/8"/1 1/4"/1 1/2"	22.23/25.4/30	5x10x20	18
EC18007	8"	200	7/8"/1 1/4"/1 1/2"	22.23/25.4/30	5x10x20	20
EC18008	9"	230	7/8"/1 1/4"/1 1/2"/2"	22.23/25.4/30/50	5x10x20	24

"L" sharp grinding wheel

ø80-ø180



Art No.	Outer Diameter		Hole Diameter		Segment Dimension	Segment Number
	Inches	Metric(MM)	Inches	Metric(MM)		
EC19001	3"	80	5/8"/20/18"	16/20/22.23	6x8x50	3
EC19002	4"	105	5/8"/20/18"	16/20/22.23	6x8x50	5
EC19003	4.3"	110	5/8"/20/18"	16/20/22.23	6x8x50	5
EC19004	4.5"	115	20/18"	20/22.23	6x8x50	6
EC19005	5"	125	20/18"	20/22.23	6x8x50	7
EC19006	6"	150	20/18"	20/22.23	6x8x50	10
EC19007	7"	180	7/8"/1 1/4"/1 1/2"	22.23/25.4/30	6x8x50	12

DIAMOND SAW BLADE

"T"sharp grinding wheel

o105-o180



Art No.	Outer Diameter		Hole Diameter		Segment Dimension	Segment Number
	Inches	Metric(MM)	Inches	Metric(MM)		
EC20001	4"	105	5/8"/20/7/8"	16/20/22.23	20x5x8	8
EC20002	4.3"	110	5/8"/20/7/8"	16/20/22.23	20x5x8	8
EC20003	4.5"	115	20/7/8"	20/22.23	20x5x8	8
EC20004	5"	125	20/7/8"	20/22.23	20x5x8	10
EC20005	6"	150	20/7/8"	20/22.23	20x5x8	12
EC20006	7"	180	7/8"/1"/1 1/8"	22.23/25.4/30	20x5x8	14

Skewed grinding wheel

o105-o230



Art No.	Outer Diameter		Hole Diameter		Segment Dimension	Segment Number
	Inches	Metric(MM)	Inches	Metric(MM)		
EC21001	4"	105	5/8"/20/7/8"	16/20/22.23	5x10x20	10
EC21002	4.3"	110	5/8"/20/7/8"	16/20/22.23	5x10x20	10
EC21003	4.5"	115	20/7/8"	20/22.23	5x10x20	10
EC21004	5"	125	20/7/8"	20/22.23	5x10x20	12
EC21005	6"	150	20/7/8"	20/22.23	5x10x20	14
EC21006	7"	180	7/8"/1"/1 1/8"	22.23/25.4/30	5x10x20	18
EC21007	8"	200	7/8"/1"/1 1/8"	22.23/25.4/30	5x10x20	20
EC21008	9"	230	7/8"/1"/1 1/2"/2"	22.23/25.4/30/50	5x10x20	24

Three-segment grinding wheel

o50-o100



Art No.	Outer Diameter		Hole Diameter		Segment Dimension	Segment Number
	Inches	Metric(MM)	Inches	Metric(MM)		
EC22001	2"	50	5/8"	15.88	25x15	3
EC22002	3"	80	5/8"	15.88	25x15	4
EC22003	4"	100	5/8"	15.88	25x15	5

Three-segment grinding wheel

o50-o250



Art No.	Outer Diameter		Hole Diameter		Segment Dimension	Segment Number
	Inches	Metric(MM)	Inches	Metric(MM)		
EC23001	10"	250	1"	25.4	40x10x10	10
EC23002	10"	250	1"	25.4	40x10x10	16
EC23003	10"	250	1"	25.4	40x10x10	20

DIAMOND SAW BLADE

CUTTING TOOLS

CUTTING TOOLS



R3 cup grinding wheel

ø175-ø250

Art No.	Outer Diameter		Hole Diameter		Segment Dimension	Segment Number
	Inches	Metric(MM)	Inches	Metric(MM)		
EC24001	7"	175	7/8"	22.23	50/21x5/7	18
EC24002	9"	230	7/8"	22.23	50/21x5/7	18
EC24003	10"	250	7/8"	22.23	50/21x5/7	18



"S" row cup grinding wheel

ø125-ø230

Art No.	Outer Diameter		Hole Diameter		Segment Dimension	Segment Number
	Inches	Metric(MM)	Inches	Metric(MM)		
EC25001	5"	125	7/8"	22.23	13x10x5/8	10
EC25002	7.1"	180	7/8"	22.23	13x10x5/8	14
EC25003	9"	230	7/8"	22.23	13x10x5/8	20



Dotted star cup grinding wheel

ø150-ø180

Art No.	Outer Diameter		Hole Diameter		Segment Dimension	Segment Number
	Inches	Metric(MM)	Inches	Metric(MM)		
EC26001	6"	150	7/8"	22.23	11x4x6	16
EC26002	7"	180	7/8"	22.23	11x6.5x6	20



Bow seg.cup grinding wheel

ø125-ø180

Art No.	Outer Diameter		Hole Diameter		Segment Dimension	Segment Number
	Inches	Metric(MM)	Inches	Metric(MM)		
EC27001	5"	125	7/8"	22.23	36x24x5.2	8
EC27002	7"	180	7/8"	22.23	36x24x5.2	12

DIAMOND CORE DRILL BITS

CUTTING TOOLS

CUTTING TOOLS



Diamond core drill bits

ø52-ø250

Art No.	Diameter		Overall Length	
	Inches	Metric(MM)	Inches	Metric(MM)
EC28001	2"	52	18"	450
EC28002	2 ^{3/8} "	60	18"	450
EC28003	2 ^{3/4} "	65	18"	450
EC28004	2 ^{1/2} "	72	18"	450
EC28005	3"	78	18"	450
EC28006	3 ^{1/2} "	82	18"	450
EC28007	3 ^{3/4} "	91	18"	450
EC28008	4"	102	18"	450
EC28009	4 ^{1/2} "	107	18"	450
EC28010	4 ^{3/4} "	112	18"	450
EC28011	4 ^{1/2} "	122	18"	450
EC28012	5"	127	18"	450
EC28013	5 ^{1/2} "	132	18"	450
EC28014	6"	152	18"	450
EC28015	6 ^{3/8} "	162	18"	450
EC28016	7"	178	18"	450
EC28017	7 ^{3/8} "	187	18"	450
EC28018	8"	200	18"	450
EC28019	8 ^{3/8} "	212	18"	450
EC28020	8 ^{7/8} "	225	18"	450
EC28021	10"	250	18"	450

DIAMOND CORE DRILL SET

CUTTING TOOLS

CUTTING TOOLS

A



B



C



D



E



F



G



H



I

