


# DIAMOND GRINDING WHEEL



## SINGLE ROW GRINDING WHEEL

Outer Diameter		Hole Diameter	Segment Dimension	Segment Number
Metric(MM)	Inch	Metric(MM)		
80	3"	15.88	30x5x8	6
105	4"	16/20/22.23	30x5x8	7
110	4.3"	16/20/22.23	30x5x8	8
115	4.5"	20/22.23	30x5x8	9
125	5"	20/22.23	30x5x8	10
150	6"	20/22.23	30x5x8	12
180	7"	22.23/25.4/30	30x5x8	14
200	8"	22.23/25.4/30	30x5x8	14
230	9"	2223/25.48050	30x5x8	18



## DOUBLE ROW GRINDING WHEEL

Outer Diameter		Hole Diameter	Segment Dimension	Segment Number
Metric(MM)	Inch	Metric(MM)		
80	3"	15.88	20/30x5x8	12
105	4"	16/20/22.23	20/30x5x8	14
110	4.3"	16/20/22.23	20/30x5x8	16
115	4.5"	20/22.23	20/30x5x8	18
125	5"	20/22.23	20/30x5x8	20
150	6"	20/22.23	20/30x5x8	24
180	7"	22.23/25.4/30	20/30x5x8	28
200	8"	22.23/25.4/30	20/30x5x8	32
230	9"	222325.43050	20/30x5x8	36




## CONTINUOUS RIM GRINDING WHEEL

Outer Diameter		Hole Diameter	Segment Dimension
Metric(MM)	Inch	Metric(MM)	
80	3"	15.88	5x10
105	4"	16/20/22.23	5x10
110	4.3"	16/20/22.23	5x10
115	4.5"	20/22.23	5x10
125	5"	20/22.23	5x10
150	6"	20/22.23	5x10
180	7"	22.23/25.4/30	5x10
200	8"	22.23/25.4/30	5x10
230	9"	22.23/25.43050	5x10

# DIAMOND GRINDING WHEEL



TURBO GRINDING WHEEL				
Outer Diameter		Hole Diameter		Segment Dimension
Metric(MM)	Inch	Metric(MM)		
80	3"	15.88		5x20
105	4"	16/20/22.23		5x20
110	4.3"	16/20/22.23		5x20
115	4.5"	20/22.23		5x20
125	5"	20/22.23		5x20
150	6"	20/22.23		5x20
180	7"	22.23/25.4/30		5x20
200	8"	22.23/25.4/30		5x20
230	9"	22.23/25.4/30		5x20



WIDE TOOTH TURBO GRINDING WHEEL				
Outer Diameter		Hole Diameter	Segment Dimension	Segment Dimension
Metric(MM)	Inch	Metric(MM)		
80	3"	15.88	4x10	6
105	4"	16/20/22.23	4x10	8
110	4.3"	16/20/22.23	4x10	9
115	4.5"	20/22.23	4x10	8
125	5"	20/22.23	4x10	9
150	6"	20/22.23	4x10	12
180	7"	22.23/25.4/30	4x10	14




WIDE TURBO GRINDING WHEEL				
Outer Diameter		Hole Diameter	Segment Dimension	Segment Dimension
Metric(MM)	Inch	Metric(MM)		
105	4"	16/20/22.23	5x10x20	10
110	4.3"	16/20/22.23	5x10x20	10
115	4.5"	20/22.23	5x10x20	10
125	5"	20/22.23	5x10x20	12
150	6"	20/22.23	5x10x20	14
180	7"	22.23/25.4/30	5x10x20	18
200	8"	22.23/25.4/30	5x10x20	20
230	9"	22.23/25.4/30	5x10x20	24

# DIAMOND GRINDING WHEEL



## "T" SHARP GRINDING WHEEL

Outer Diameter		Hole Diameter	Segment Dimension	Segment Dimension
Metric(MM)	Inch	Metric(MM)		
105	4"	16/20/22.23	20x5x8	8
110	4.3"	16/20/22.23	20x5x8	8
115	4.5"	20/22.23	20x5x8	8
125	5"	20/22.23	20x5x8	10
150	6"	20/22.23	20x5x8	12
180	7"	22.23/25.4/30	20x5x8	14



## "L" SHARP GRINDING WHEEL

Outer Diameter		Hole Diameter	Segment Dimension	Segment Dimension
Metric(MM)	Inch	Metric (MM)		
80	3"	16/20/22.23	6x8x50	3
105	4"	16/20/22.23	6x8x50	5
110	4.3"	16/20/22.23	6x8x50	5
115	4.5"	20/22.23	6x8x50	6
125	5"	20/22.23	6x8x50	7
150	6"	20/22.23	6x8x50	10
180	7"	22.23/25.4/30	6x8x50	12




## "S" ROW CUP GRINDING WHEEL

Outer Diameter		Hole Diameter	Segment Dimension	Segment Dimension
Metric(MM)	Inch	Metric(MM)		
125	5"	22.23	13x10x5/8	10
180	7.1"	22.23	13x10x5/8	14
230	9"	22.23	13x10x5/8	20


# POLISHING PAD



● Colorful / Granite wet durable polishing pads




● Brown / Marble wet durable polishing pads




● Gray / Ordinary durable quality wet polishing pads



● White / Quartz wet sharp polishing pads




● White / Granite wet sharp polishing pads




● White / Ordinary sharp quality wet polishing pads


<b>Size</b>	3"(80mm*3mm)
<b>Application</b>	Mainly for granite,marble,man-made stone
<b>Color</b>	other colors can customized.
<b>Grits</b>	50/100/200/400/800/1500/3000/Other grits can customized




● Colorful / Granite wet durable polishing pads




● Brown / Marble wet durable polishing pads




● White / Granite wet sharp polishing pads



● White / Quartz wet sharp polishing pads



● White / Ordinary sharp quality wet polishing pads




● Gray / Ordinary durable quality wet polishing pads

<b>Size</b>	4"(100mm*3mm)
<b>Application</b>	Mainlyforgranite,marble,man-madestone
<b>Color</b>	Colorful,othercolorscancustomized
<b>Grits</b>	50/100/200/400/800/1500/3000/Othergritscancustomized

# POLISHING PAD



● 4 inch 3 steps polishing pads(sunflower shape)



● 4 inch 3 steps polishing pads(four-star shape)





● 4 inch 3 steps polishing pads(four-star shape)



● 4 inch 3 steps polishing pads(spiral shape)


<b>Size</b>	4"(100mm*3mm)
<b>Application</b>	Mainly for granite,marble,man-made stone
<b>Color</b>	White,other colors can customized
<b>Grits</b>	1# 2# 3#




● Other popular customized 4 inch wet polishing pads




● 5"(125mm\*3mm/8mm)  
● 5 inch diamond wet polishing pads (different shape)



● 6"(150mm\*3mm)  
● 6 inch diamond wet polishing pads (different shape)



● 7"(180mm\*3mm)  
● 7 inch diamond wet polishing pads (different shape)



● 8"(200mm\*3mm)  
● 8 inch diamond wet polishing pads (different shape)

<b>Application</b>	Mainly for granite,marble,man-made stone
<b>Color</b>	All colors can customized
<b>Grits</b>	50/100/200/400/800/1500/3000 Other grits can customized


# POLISHING PAD



- 3"(80mm\*2mm)
- Hexagonal dry polishing pads




- 3"(80mm\*2mm)
- Small hexagonal dry polishing pads



- 3"(80mm\*2mm)
- Triangle dry polishing pads



- 3"(80mm\*2mm)
- Flower shape dry polishing pads




- 3"(80mm\*2mm)
- Quadrilateral dry polishing pads




- 3"(80mm\*3mm)
- Hot pressed dry polishing pad




- 4"(100mm\*2mm)
- Hexagonal dry polishing pads



- 4"(100mm\*2mm)
- Flower shape dry polishing pads



- 4"(100mm\*4mm)
- Flower shape super dry polishing pads



- 4"(100mm\*6mm)
- Flower shape super dry polishing pads



- 4"(100mm\*3mm)
- Hot pressed dry polishing pads No.1



- 4"(100mm\*3mm)
- Hot pressed dry polishing pads No.2

## Application

Mainly dry used for grinding and polishing all kinds of stone

## Color

Sharp, durable, fast glazing, soft and easy to operate, high efficiency


## Grits

50/100/200/400/800/1500/3000/or 0#/1#/2#/3#/4#/5#


# POLISHING PAD




- 5"(125mm\*2mm)
- 5 inch diamond dry polishing pads



- 6"(125mm\*2mm)
- 6 inch diamond dry polishing pads



- 7"(180mm\*2mm)
- 7 inch diamond dry polishing pads



- 8"(200mm\*2mm)
- 8 inch diamond dry polishing pads

## Application

Mainly dry used for grinding and polishing all kinds of stone

## Color

Sharp, durable, fast glazing, soft and easy to operate, high efficiency

## Grits

50/100/200/400/800/1500/3000/or 0#/1#/2#/3#/4#/5#



- 3"(80\*12mm)
- Six grains concrete polishing pads



- 3"(80\*8mm)
- Eight grains concrete polishing pads



- 3"(80\*10mm)
- Two ring concrete polishing pads



- 3"(80\*15mm)
- 15mm thick concrete polishing pads



- 4"(100\*6mm)
- 6mm thick concrete polishing pads



- 4"(100\*8mm)
- 8mm thick concrete polishing pads



- 4"(100\*9mm)
- 9mm Concrete polishing pads (spiral shape)



- 4"(100\*9mm)
- 9mm Concrete polishing pads (straight shape)

# POLISHING PAD



- 4"(100\*10mm)
- Big grains concrete polishing pads



- 4"(100\*8mm)
- Star type concrete polishing pads



- 4"(100\*8mm)
- Four lines concrete polishing pads



- 4"(100\*8mm)
- Two lines concrete polishing pads



- 4"(100\*10mm)
- Two ring concrete polishing pads



- 4"(100\*12mm)
- 12mm thick concrete polishing pads(spiral shape)


<b>Application</b>	Mainly used for grinding and polishing concrete(wet/dry)
<b>Color</b>	Sharp, durable, fast glazing, high efficiency
<b>Grits</b>	50/100/200/400/800/1500/3000/Other grits can customized



- 7"(180mm\*10mm)
- Two ring concrete polishing pads
- Total thickness is 15 mm




- 8"(200mm\*10mm)
- 8 inch diamond polishing pad
- Total thickness is 15 mm




- 9"(225mm\*10mm)
- 9 inch diamond polishing pad
- Total thickness is 15 mm



- 10"(250mm\*10mm)
- 10 inch diamond polishing pad
- Total thickness is 15 mm



- 11"(280mm\*10mm)
- 11 inch diamond polishing pad
- Total thickness is 15 mm




- 12"(300mm\*10mm)
- 12 inch diamond polishing pad
- Total thickness is 15 mm

<b>Application</b>	Mainly used for grinding and polishing all kinds of stone and concrete floor
<b>Color</b>	Sharp, durable, fast glazing,high efficiency
<b>Grits</b>	50/100/200/400/800/1500/3000/Other grits can customized



# POLISHING PAD



- 12"(300mm\*4mm)
- 12 inch no hole diamond polishing pads




- 12"(300mm\*4mm)
- 12 inch small hole diamond polishing pads




- 12"(300mm\*4mm)
- 12 inch big hole diamond polishing pads



- 14"(350mm\*7mm)
- 14 inch diamond polishing pads
- Total thickness is 12 mm



- 16"(400mm\*10mm)
- 16 inch diamond polishing pads(spiral)
- Total thickness is 15 mm



- 16"(400mm\*10mm)
- 16 inch diamond polishing pads(straight)
- Total thickness is 15 mm

## Application

Mainly used for grinding and polishing all kinds of stone and concrete floor

## Color

Sharp, durable, fast glazing, high efficiency

## Grits

50/100/200/400/800/1500/3000/Other grits can customized



- 4"(100mm\*3mm)
- Diamond convex wet polishing pads(flat bottom)



- 4"(100mm\*3mm)
- Diamond convex wet polishing pads(Pointy bottom)



- 4"(100mm\*3mm)
- Diamond polishing pads with card buckle



- 35mm 50mm 75mm
- Diamond drum polishing pads

## Application

Mainly used for grinding and polishing special shape stone

## Color

Sharp, durable, fast glazing, easy to operate, high efficiency


## Grits

50/100/200/400/800/1500/3000/Other grits can customized


# POLISHING PAD / BACKER PAD



- ①
- 4"(100mm\*6mm)
- High efficient polishing pads



- ②
- 4"(100mm\*3mm)
- Refined polishing pads



- ③
- 4"(100mm\*3mm)
- Ordinary polishing pads



- ④
- 3"/4"(80mm/100mm\*4mm)
- Black and white buff polishing pads



<b>Application</b>	Mainly dry used for polishing all kinds of stone and concrete
<b>Color</b>	Fast glazing speed, bright clear light and never fade, without scratch
<b>Grits</b>	① 5#/6# ②③ 800/1500/3000 ④ Black buff and white buff



- ①
- 80mm/100mm/125mm/150mm/180mm
- Aluminum backer pads



- ②
- 80mm/100mm/125mm/150mm/180mm
- Rubber backer pads



- ③
- 80mm/100mm/125mm/150mm/180mm
- Flexible rubber backer pad



- ④
- 80mm/100mm/125mm/150mm/180mm
- Plastic backer pad



- ⑤
- 100mm
- Convex rubber backer pads



- ⑥
- 100mm
- Plastic backer pads with snail buckle

<b>Application</b>	Mainly used for grinding and polishing all kinds of stone and concrete floor
<b>Advantage</b>	① The aluminum alloy material is not easy to deform, durable, the thread is clear, and the locking is not loose ②③ Bendable, good adhesion, high durability ④ Not easy to deform, good balance ⑤ Tightly pasted, safe and firm, not easy to deviate, durable ⑥ Good adhesion, high durability
<b>Connection method</b>	M10 M14 M16 5/8-11