


# SCREWDRIVER BITS

Tip Size.	MM
PH0	25mm
PH1	25mm
PH2	25mm
PH3	25mm
PH4	25mm



**Phillips Insert Bits**

Tip Size.	MM
PZ0	25mm
PZ1	25mm
PZ2	25mm
PZ3	25mm
PZ4	25mm



**Poizidriv Insert Bits**




**Phillips Power Bits**




**Poizidriv Power Bits**

Tip Size.	mm	D
PH0	50mm	4mm
PH1	50mm	5mm
PH2	50mm	6mm
PH3	50mm	6mm
PH1	75mm	5mm
PH2	75mm	6mm
PH3	75mm	6mm
PH1	100mm	5mm
PH2	100mm	6mm
PH3	100mm	6mm
PH1	150mm	5mm
PH2	150mm	6mm

Tip Size.	mm	D
PZ1	50mm	5mm
PZ2	50mm	6mm
PZ3	50mm	6mm
PZ1	75mm	5mm
PZ2	75mm	6mm
PZ3	75mm	6mm
PZ1	100mm	5mm
PZ2	100mm	6mm
PZ3	100mm	6mm
PZ2	150mm	6mm



**PHILLIPS INSERT BITS**



**POZIDRIV INSERT BITS**

Tip Size.	Size
PH1	30mm
PH2	30mm
PH3	30mm
PH4	30mm
PH1	70mm
PH2	70mm
PH3	70mm
PH4	70mm

Tip Size.	Size
PH1	30mm
PH2	30mm
PH3	30mm
PH4	30mm
PH1	70mm
PH2	70mm
PH3	70mm
PH4	70mm

# SCREWDRIVER BITS




Slotted Insert Bits

Tip Size.	mm	D
SL3	25mm	3.0x0.5mm
SL4	25mm	4.0x0.5mm
SL4.5	25mm	4.5x0.6mm
SL5.5	25mm	5.5x0.8mm
SL5.5	25mm	5.5x1.0mm
SL6.5	25mm	6.5x1.2mm
SL7	25mm	7.0x1.2mm
SL8	25mm	8.0x1.2mm
SL8	25mm	8.0x1.6mm



Slotted Insert Bits -  
5/16" Shank

Tip Size.	mm
SQ0	25mm
SQ1	25mm
SQ2	25mm
SQ3	25mm



Square Insert Bits

Tip Size.	mm
SQ0	25mm
SQ1	25mm
SQ2	25mm
SQ3	25mm



Square Insert Bits  
1pc Construction insert Bits

Tip Size.	mm
SQ0	25mm
SQ1	25mm
SQ2	25mm
SQ3	25mm



Slotted Insert Bits

Tip Size.	mm	D
SL3	50mm	3.0x0.5mm
SL4	50mm	4.0x0.5mm
SL4.5	50mm	4.5x0.6mm
SL5.5	50mm	5.5x0.8mm
SL5.5	50mm	5.5x1.0mm
SL6.5	50mm	6.5x1.2mm
SL7	50mm	7.0x1.2mm
SL8	50mm	8.0x1.2mm
SL8	50mm	8.0x1.6mm
SL3	100mm	3.0x0.5mm
SL4	100mm	4.0x0.5mm
SL4.5	100mm	4.5x0.6mm
SL5.5	100mm	5.5x0.8mm
SL5.5	100mm	5.5x1.0mm
SL6.5	100mm	6.5x1.2mm
SL7	100mm	7.0x1.2mm
SL8	100mm	8.0x1.2mm
SL8	100mm	8.0x1.6mm



Square Reduced Shank Power Bit

Tip Size.	mm	D
SQ0	50mm	3.0x0.5mm
SQ1	50mm	4.0x0.5mm
SQ2	50mm	4.5x0.6mm
SQ3	50mm	5.5x0.8mm
SQ0	75mm	5.5x1.0mm
SQ1	75mm	6.5x1.2mm
SQ2	75mm	7.0x1.2mm
SQ3	75mm	8.0x1.2mm
SQ0	100mm	8.0x1.6mm
SQ1	100mm	3.0x0.5mm
SQ2	150mm	4.0x0.5mm
SQ3	150mm	4.5x0.6mm

# SCREWDRIVER BITS




**SQUARE POWER BITS**  
1 PC CONSTRUCTION

Tip Size.	mm
SQ1	50mm
SQ2	50mm
SQ3	50mm
SQ1	70mm
SQ2	70mm
SQ3	70mm
SQ1	90mm
SQ2	90mm
SQ3	90mm
SQ1	100mm
SQ2	100mm
SQ3	100mm
SQ1	150mm
SQ2	150mm
SQ3	150mm




**Torx Insert Bits -**  
5/16" Shank

Tip Size.	mm
T20	30mm
T25	30mm
T27	30mm
T30	30mm
T40	30mm
T45	30mm
T50	30mm
T55	30mm
T60	30mm



**Torx insert bits**


Tip Size.	mm
T6	25mm
T7	25mm
T8	25mm
T9	25mm
T10	25mm
T15	25mm
T20	25mm
T25	25mm
T27	25mm
T30	25mm
T40	25mm
T45	25mm



**Torx insert bits**

Tip Size.	mm
T6	50mm
T7	50mm
T8	50mm
T9	50mm
T10	50mm
T15	50mm
T20	50mm
T25	50mm
T27	50mm
T30	100mm
T40	100mm
T45	100mm
T6	100mm
T7	100mm
T8	100mm
T9	100mm
T10	100mm
T15	100mm
T20	50mm
T25	50mm
T27	50mm
T30	50mm
T40	50mm
T45	50mm
T8	100mm
T9	100mm
T10	100mm
T15	100mm
T20	100mm
T25	100mm
T27	100mm
T30	100mm
T40	100mm
T45	100mm

# SCREWDRIVER BITS




Torx Tamper Insert Bits

Tip Size.	mm
TT7	25mm
TT8	25mm
TT9	25mm
TT10	25mm
TT15	25mm
TT20	25mm
TT25	25mm
TT27	25mm
TT30	25mm
TT40	25mm
TT45	25mm




TORX INSERT BITS  
- 5/16" SHANK

Tip Size.	mm
T20	30mm
T25	30mm
T27	30mm
T30	30mm
T40	30mm
T45	30mm
T50	30mm
T55	30mm
T60	30mm



Hex Insert Bits

Tip Size.	mm
H1.5	25mm
H2	25mm
H2.5	25mm
H3	25mm
H4	25mm
H5	25mm
H6	25mm
H7	25mm
H8	25mm



Torx Tamper Power Bits

Tip Size.	mm
TT8	50mm
TT9	50mm
TT10	50mm
TT15	50mm
TT20	50mm
TT25	50mm
TT27	50mm
TT30	50mm
TT40	50mm
TT45	50mm
TT8	75mm
TT9	75mm
TT10	75mm
TT15	75mm
TT20	75mm
TT25	75mm
TT27	75mm
TT30	75mm
TT40	75mm
TT45	75mm
TT8	100mm
TT9	100mm
TT10	100mm
TT15	100mm
TT20	100mm
TT25	100mm
TT27	100mm
TT30	100mm
TT40	100mm
TT45	100mm



Torx insert bits


Tip Size.	mm
H4	30mm
H5	30mm
H6	30mm
H7	30mm
H8	30mm
H10	30mm

# SCREWDRIVER BITS



Hex Power Bits

Tip Size.	mm
H1.5	50mm
H2	50mm
H2.5	50mm
H3	50mm
H4	50mm
H5	50mm
H6	50mm
H7	50mm
H8	50mm
H1.5	75mm
H2	75mm
H2.5	75mm
H3	75mm
H4	75mm
H5	75mm
H6	75mm
H7	75mm
H8	75mm
H1.5	100mm
H2	100mm
H2.5	100mm
H3	100mm
H4	100mm
H5	100mm
H6	100mm
H7	100mm
H8	100mm




Hex Tamper Insert Bits

Tip Size.	mm	Tip Size.	mm
H1/16	25mm	H5/32	75mm
H5/64	50mm	H3/16	75mm
H3/32	50mm	H7/32	75mm
H1/8	50mm	H1/4	75mm
H9/64	50mm	H5/16	75mm
H5/32	50mm	H1/16	100mm
H3/16	50mm	H5/64	100mm
H7/32	50mm	H3/32	100mm
H1/4	50mm	H1/8	100mm
H5/16	50mm	H9/64	100mm
H1/16	75mm	H5/32	100mm
H5/64	75mm	H3/16	100mm
H3/32	75mm	H7/32	100mm
H1/8	75mm	H1/4	100mm
H9/64	75mm	H5/16	100mm



Hex Insert Bits -  
5/16" Shank


Tip Size.	mm
H5/32	30mm
H3/16	30mm
H7/32	30mm
H1/4	30mm
H5/16	30mm



Hex Insert Bits

Tip Size.	mm
H1/16	25mm
H5/64	25mm
H3/32	25mm
H1/8	25mm
H9/64	25mm
H5/32	25mm
H3/16	25mm
H7/32	25mm
H1/4	25mm
H5/16	25mm

# SCREWDRIVER BITS




Hex Tamper Power Bits

Tip Size.	mm
TH1.5	50mm
TH2	50mm
TH2.5	50mm
TH3	50mm
TH4	50mm
TH5	50mm
TH6	50mm
TH7	50mm
TH8	50mm
TH1.5	75mm
TH2	75mm
TH2.5	75mm
TH3	75mm
TH4	75mm
TH5	75mm
TH6	75mm
TH7	75mm
TH8	75mm
TH1.5	100mm
TH2	100mm
TH2.5	100mm
TH3	100mm
TH4	100mm
TH5	100mm
TH6	100mm
TH7	100mm
TH8	100mm



Hex Tamper Insert Bits

Tip Size.	mm
TH1/16	25mm
TH5/64	25mm
TH3/32	25mm
TH1/8	25mm
TH9/64	25mm
TH5/32	25mm
TH3/16	25mm
TH7/32	25mm
TH1/4	25mm
TH5/16	25mm



Hex Tamper Power Bits

Tip Size.	mm
TH1/16	50mm
TH5/64	50mm
TH3/32	50mm
TH1/8	50mm
TH9/64	50mm
TH5/32	50mm
TH3/16	50mm
TH7/32	50mm
TH1/4	50mm
TH5/16	50mm
TH1/16	75mm
TH5/64	75mm
TH3/32	75mm
TH1/8	75mm
TH9/64	75mm
TH5/32	75mm
TH3/16	75mm
TH7/32	75mm
TH1/4	75mm
TH5/16	75mm
TH1/16	100mm
TH5/64	100mm
TH3/32	100mm
TH1/8	100mm
TH9/64	100mm
TH5/32	100mm
TH3/16	100mm
TH7/32	100mm
TH1/4	100mm
TH5/16	100mm



Hex Ball Insert Bits

Tip Size.	mm
B3/32	25mm
B1/8	25mm
B9/64	25mm
B5/32	25mm
B3/16	25mm
B7/32	25mm
B1/4	25mm
TH7	25mm

# SCREWDRIVER BITS



Hex Ball Power Bits

Tip Size.	mm
B3/32	50mm
B1/8	50mm
B9/64	50mm
B5/32	50mm
B3/16	50mm
B7/32	50mm
B1/4	50mm
B5/16	50mm
B3/32	75mm
B1/8	75mm
B9/64	75mm
B5/32	75mm
B3/16	75mm
B7/32	75mm
B1/4	75mm
B5/16	75mm
B3/32	100mm
B1/8	100mm
B9/64	100mm
B5/32	100mm
B3/16	100mm
B7/32	100mm
B1/4	100mm
B5/16	100mm



Triple Square Insert Bits

Tip Size.	mm
M4	25mm
M5	25mm
M6	25mm
M8	25mm
M10	25mm



Hex Tamper Power Bits

Tip Size.	mm
M4	50mm
M5	50mm
M6	50mm
M8	50mm
M10	50mm
M4	75mm
M5	75mm
M6	75mm
M8	75mm
M10	75mm
M4	100mm
M5	100mm
M6	100mm
M8	100mm
M10	100mm



TRIPLE SQUARE INSERT BITS-5/16" SHANK

Tip Size.	mm
M4	30mm
M5	30mm
M6	30mm
M8	30mm
M10	30mm



Spanner Insert Bit

Tip Size.	mm
SP4	25mm
SP6	25mm
SP8	25mm
SP10	25mm
SP12	25mm
SP14	25mm

# SCREWDRIVER BITS



Drywall Indenter Bit

Tip Size.	mm
PH2	25mm



Drywall Indenter Power Bit

Tip Size.	mm
PH2	50mm



Phillips Impact  
Double Ended Bit

Tip Size.	mm
PH1	45mm
PH2	45mm
PH3	45mm
PH1	50mm
PH2	50mm
PH3	50mm
PH1	65mm
PH2	65mm
PH3	65mm
PH2	75mm
PH2	100mm
PH2	150mm
PH2	200mm
PH2	250mm
PH2	300mm
PH2	350mm
PH2	400mm



Spanner Insert Bit

Tip Size.	mm
Q4	25mm
Q6	25mm
Q8	25mm
Q10	25mm



Phillips & Slotted  
Double Ended Power Bit

Tip Size.	mm
PH2-SL6	65mm
PH2-SL6	100mm



Phillips Impact  
Double Ended Power Bit

Tip Size.	mm
PH2	65mm
PH2	100mm



Phillips Impact  
Double Ended Impact Bit

Tip Size.	mm
PH2	65mm
PH2	100mm




Phillips Impact  
Double Ended Short

Tip Size.	mm
PH2-PH2	65mm
PH2	100mm
PH2	150mm



# SCREWDRIVER BITS SET



42pc Tool Set	
Product Description	
7pc	Hex Key Wrench: 1.5mm,2mm,2.5mm,3mm,4mm,5mm,6mm
7pc	5mm,6mm,7mm,8mm,9mm,10mm,11mm
16pc	25mm Screwdriver Bit Phillips:#0,#1,#2,#3, Pozi:#0,#1,#2,#3 Slotted:3mm,4mm,5mm,6mm Torx:T10,T15,T20,T25
8pc	Precision Screwdriver Bit Phillips:#0,#1, Pozi:#0,#1 Slotted:1mm,1.5mm,2mm,2.5mm
1pc	6.35mm to 4mm Drive Adaptor
1pc	25mm Adaptor
1pc	60mm Magnetic Bit Holder
1pc	Stubby Ratchet Screwdriver Handle

PACKING	MEAS(CM)	QTY/CTN	GW/NW(KG)
Color Label	36.5*36*24	10/30	18/17



# SCREWDRIVER BITS SET

## 31pc Precision Screwdriver Set

### Product Description

30pc Precision Screwdriver Bit  
 Phillips:#000,#00,#0,#1  
 Pozi:#0,#1,  
 Slotted:1mm,1.5mm,2mm,2.5mm,3mm,3.5mm,4mm  
 Hex:0.7mm,0.9mm,1.3mm,1.5mm,2mm,2.5mm,3mm,4mm  
 Torx:T4,T5,T6,T7,T8,T9,T10,T15,T20

1pc Precision Screwdriver Handle

PACKING	MEAS(CM)	QTY/CTN	GW/NW(KG)
Color Label	38*37.5*18.5	10/40	9.8/8.8



## 33pc Precision Screwdriver Set

### Product Description

30pc Precision Screwdriver Bit  
 Phillips:#000,#00,#0,#1  
 Pozi:#0,#1,  
 Slotted:1mm,1.5mm,2mm,2.5mm,3mm,3.5mm,4mm  
 Hex:0.7mm,0.9mm,1.3mm,1.5mm,2mm,2.5mm,3mm,4mm  
 Torx:T4,T5,T6,T7,T8,T9,T10,T15,T20

1pc EXTendable Precision Screwdriver

1pc 190mm Flexible Extension Bar

1pc Magnifier

PACKING	MEAS(CM)	QTY/CTN	GW/NW(KG)
Color Label	38*37.5*18.5	10/40	11.2/10.2



## 37pc Ratchet Screwdriver Set

### Product Description

36pc 25mm Screwdriver Bit  
 Phillips:#0,#1,#2,#2,#3  
 Pozi:#0,#1,#2,#2,#3  
 Square:#0,#1,#2,#3  
 Slotted:3mm,4mm,5mm,6mm,7mm  
 Hex:2mm,3mm,4mm,5mm,6mm  
 &1/8",5/32",3/16",7/32",1/4"  
 Torx:T10,T15,T20,T25,T27,T30,T40

1pc Stubby Ratchet Screwdriver Handle

PACKING	MEAS(CM)	QTY/CTN	GW/NW(KG)
Color Label	38*37.5*18.5	10/40	17/16



# SCREWDRIVER BITS SET

multi-bit screwdriver



## 45pcs Screwdriver Bit Set

### Product Description

32pcs 25mm Bits	Phillips:PH1×2,PH2×6,PH3×2 Slotted:SL3,SL4,SL5,SL6,SL7 Torx:T10,T15,T20,T25,T27,T30,T40 Hex:H3,H4,H5,H6 Pozi:PZ1×2,PZ2×3,PZ3
8pcs 50mm Bits	50mm Bits: Phillips:PH1,PH2×4,PH3 Slotted:SL5,SL6
2pcs	75mm BITS PH2,PH3
2PCS	48mm Nut Drivers:5/16,3/8
1 PC	80mm SCREW GUIDE



## 18pcs Socket & Bit Tool Sets

### Product Description

10pcs	50mm Bits: Phillips:PH1,PH2,PH3 Pozi:PZ1,PZ2,PZ3 Torx:T15,T20,T25,T30
1pc	Quick Release Bit Holder
2pcs	Sockets 48mm:8mm,10mm
5pcs	Drill bits:3mm,4mm,5mm,6mm,8mm



# SCREWDRIVER BITS SET

## 15pcs Screwdriver Bit Set

### Product Description

7pcs 25mm Bits	Slotted:6mm Phillips:#1,#2 Pozi:#1,#2 Torx;T15,T20
7pcs 50mm Bits	Phillips:Ph1,Ph2 Torx:T20,T25,T30 Hex:H3,H4
1pc	Quick Release Bit Hold



## 32pc Screwdriver Bit Set

### Product Description

30pc 25mm Bits	Slotted:3mm,4mm,5mm,6mm; Phillips:#0,#1,#2,#3; Pozi:#0,#1,#2,#3; Torx:T10,T15,T20,T25,T27,T30,T40; Torx-Proof:T10,T15,T20,T25,T27,T30,T40; Hex:3mm,4mm,5mm,6mm;
1pc	Adaptor
1pc	Quick Release Bit Holder



PACKING	MEAS(CM)	QTY/CTN	GW/NW(KG)
Shrink	41.6*23.6*33.2	40	13/12

## 37pcs Screwdriver Bit Set

### Product Description

16pcs 25mm Bits	Phillips:PH1,PH2x6,PH3 Slotted:SL6, Torx:T20,T25x2 Hex:1/8,3/16,5/32
16pcs 50mm Bits	Phillips:PH1,PH2x3,PH3 Pozi:PZ1,PZ2x2, Torx:T15,T20,T25 Square:SQ1,SQ2,SQ3 Hex:3/16,5/32
2 PCS	50mm Socket adapters:1/4,1/2
2 PCS	45mm Nut drivers:1/4,5/16
1 PC	65mm Magnetic bit holder



# IMPACT DRIVER BITS



Phillips Impact Insert Bits

Tip Size.	mm
PH0	25mm
PH1	25mm
PH2	25mm
PH3	25mm
PH4	25mm



Square Impact Insert Bit

Tip Size.	mm
SQ0	25mm
SQ1	25mm
SQ2	25mm
SQ3	25mm



Slotted Impact Insert Bits

Tip Size.	mm	Tip Size(TxD)
SL3	25mm	3.0X0.5mm
SL4	25mm	4.0X0.5mm
SL4.5	25mm	4.5X0.6mm
SL5.5	25mm	5.5X0.8mm
SL5.5	25mm	5.5X1.0mm
SL6.5	25mm	6.5X1.2mm
SL7	25mm	7.0X1.2mm



Phillips Impact Power Bits

Tip Size.	mm	D
PH0	50mm	4mm
PH1	50mm	5mm
PH2	50mm	6mm
PH3	50mm	6mm
PH1	75mm	5mm
PH2	75mm	6mm
PH3	75mm	6mm
PH1	90mm	5mm
PH2	90mm	6mm
PH3	90mm	6mm
PH1	150mm	5mm
PH2	150mm	6mm



Square Impact Power Bit

Tip Size.	mm
SQ0	50mm
SQ1	50mm
SQ2	50mm
SQ3	50mm
SQ0	75mm
SQ1	75mm
SQ2	75mm
SQ3	75mm
SQ0	90mm
SQ1	90mm
SQ2	90mm
SQ3	90mm

# IMPACT DRIVER BITS



Slotted Impact Power Bits

Tip Size.	mm	Tip Size(TxD)
SL3	50mm	3.0X0.5mm
SL4	50mm	4.0X0.5mm
SL4.5	50mm	4.5X0.6mm
SL5.5	50mm	5.5X0.8mm
SL5.5	50mm	5.5X1.0mm
SL6.5	50mm	6.5X1.2mm
SL7	50mm	7.0X1.2mm
SL3	90mm	3.0X0.5mm
SL4	90mm	4.0X0.5mm
SL4.5	90mm	4.5X0.6mm
SL5.5	90mm	5.5X0.8mm
SL5.5	90mm	5.5X1.0mm
SL6.5	90mm	6.5X1.2mm
SL7	90mm	7.0X1.2mm



Pozidriv Impact Power Bits

Tip Size.	mm	D
PZ1	50mm	5mm
PZ2	50mm	6mm
PZ3	50mm	6mm
PZ1	75mm	5mm
PZ2	75mm	6mm
PZ3	75mm	6mm
PZ1	90mm	5mm
PZ2	90mm	6mm
PZ3	90mm	6mm
PZ2	150mm	6mm



Hex Impact Insert Bits

Tip Size.	mm
H1.5	25mm
H2	25mm
H2.5	25mm
H3	25mm
H4	25mm
H5	25mm
H6	25mm
H7	25mm



Pozidriv Impact Insert Bits

Tip Size.	mm
PZ0	25mm
PZ1	25mm
PZ2	25mm
PZ3	25mm
PZ4	25mm

# IMPACT DRIVER BITS



Hex Impact Power Bits

Tip Size.	mm
H1.5	50mm
H2	50mm
H2.5	50mm
H3	50mm
H4	50mm
H5	50mm
H6	50mm
H7	50mm
H1.5	75mm
H2	75mm
H2.5	75mm
H3	75mm
H4	75mm
H5	75mm
H6	75mm
H7	75mm
H1.5	90mm
H2	90mm
H2.5	90mm
H3	90mm
H4	90mm
H5	90mm
H6	90mm
H7	90mm



Torx Impact Insert Bits

Tip Size.	mm
T6	25mm
T7	25mm
T8	25mm
T9	25mm
T10	25mm
T15	25mm
T20	25mm
T25	25mm
T27	25mm
T30	25mm
T40	25mm
T45	25mm



Torx Impact Power Bits

Tip Size.	mm
T6	50mm
T7	50mm
T8	50mm
T9	50mm
T10	50mm
T15	50mm
T20	50mm
T25	50mm
T27	50mm
T30	50mm
T40	50mm
T45	50mm
T6	75mm
T7	75mm
T8	75mm
T9	75mm
T10	75mm
T15	75mm
T20	75mm
T25	75mm
T27	75mm
T30	75mm
T40	75mm
T45	75mm
T8	90mm
T9	90mm
T10	90mm
T15	90mm
T20	90mm
T25	90mm
T27	90mm
T30	90mm
T40	90mm
T45	90mm

# IMPACT DRIVER BITS SETS



## 13pc Power Bit & Nut Driver Set

### Product Description

6pc	50mm Power Bit Phillips:#1,#2 Square:#1,#2 Slotted:3/16",1/4"
5pc	Magnetic Nut Driver:1/4",5/16",3/8",7/16",1/2"
1pc	50mm 3/8" Adaptor
1pc	Quick Release Bit Holder

PACKING	MEAS(CM)	QTY/CTN	GW/NW(KG)
Shrink	39.5*36.5*19.5	10/40	14.5/13.5



## 23pc Power Bit & Nut Driver Set

### Product Description

8pcs	25mm Bits Torx:T10,T15,T20,T25,T30,T20 anti-theft screws, T25 Security,T30 Security
7pcs 50mm Bits	50mm Bits Phillips:PH2,PH3 Pozi:PZ2,PZ3 Torx:T15,T20,T25
5pcs 75mm Bits	75mm Bits Phillips:PH1,PH2,PH3 Pozi:PZ2,PZ3
1pc	Quick Release Bit Holder
2pcs	Sockets 48mm:8mm,10mm





# MAGNETIC NUT



Impact Duty Magnetic Bit Holders

Tip Size.	mm
1/4" Hex	60mm




Impact Duty Magnetic Bit Holders

Tip Size.	mm
1/4" Hex	60mm



Retractable Magnetic Bit Holders

Tip Size.	mm
1/4" Hex	80mm



Key Ring Magnetic Bit Holders

Tip Size.	mm
1/4" Hex	38mm



Socket Adaptor To Suit SDS+Drill

Tip Size.	mm
1/4" Dr.	65mm
3/8" Dr.	65mm
1/2" Dr.	72mm



Socket Adaptor Ball Type

Tip Size.	mm
1/4" Dr.	25mm
1/4" Dr.	30mm



Power Socket Adaptor Ball Type

Tip Size.	mm
1/4" Dr.	50mm
1/4" Dr.	65mm
1/4" Dr.	75mm
1/4" Dr.	100mm
1/4" Dr.	150mm
3/8" Dr.	65mm
1/2" Dr.	75mm



3pcs Power Socket Adaptor Set  
3 x Socket Adaptor: (65mm): 1/4" Dr., 3/8" Dr. (75mm): 1/2" Dr.

Packaging/Set	N.W	G.W
3pcs	0.1KG	0.15KG

# MAGNETIC NUT




Magnetic Bit Holder

Tip Size.	mm
1/4" Hex	60mm
1/4" Hex	75mm
1/4" Hex	100mm
1/4" Hex	150mm




All-in-one Magnetic Bit Holder

Tip Size.	mm
1/4" Hex	60mm



Q/Release Stainless Magnetic Bit Holder

Tip Size.	mm
1/4" Hex	60mm
1/4" Hex	100mm
1/4" Hex	150mm



Q/Release Stainless Magnetic Bit Holder

Tip Size.	mm
1/4" Hex	60mm
1/4" Hex	100mm
1/4" Hex	150mm



300mm Long Flexible Q/Release Bit Holder

Tip Size.	mm
1/4" Hex	300mm




300mm Long Flexible Q/Release Bit Holder

Tip Size.	mm
1/4" Hex	300mm



Stainless Mag Bit Holder With Adjustable Mag Cap

Tip Size.	mm
1/4" Hex	60mm



Off-line Driver Magnetic Bit Holder

Tip Size.	mm
1/4" Hex	85mm

# MAGNETIC NUT



Impact-Resistant Magnetic Nut Setter-Metric



Impact-Resistant Magnetic Nut Setter-Metric

Tip Size.	mm	Tip Size.	mm
5mm	48mm	10mm	65mm
5.5mm	48mm	11mm	65mm
6mm	48mm	12mm	65mm
7mm	48mm	13mm	65mm
8mm	48mm	14mm	65mm
9mm	48mm	6mm	100mm
10mm	48mm	8mm	100mm
11mm	48mm	10mm	100mm
12mm	48mm	6mm	150mm
13mm	48mm	8mm	150mm
5mm	65mm	10mm	150mm
6mm	65mm	6mm	300mm
7mm	65mm	8mm	300mm
8mm	65mm	10mm	300mm
9mm	65mm		

Tip Size.	mm	Tip Size.	mm
3/16	48mm	3/8	65mm
7/32	48mm	7/16	65mm
1/4	48mm	15/32	65mm
3/19	48mm	1/2	65mm
5/16	48mm	9/16	65mm
11/32	48mm	1/4	100mm
3/8	48mm	5/16	100mm
7/16	48mm	3/8	100mm
15/32	48mm	1/4	150mm
1/2	48mm	5/16	150mm
3/16	65mm	3/8	150mm
1/4	65mm	1/4	150mm
9/32	65mm	5/16	300mm
5/16	65mm	3/8	300mm
11/32	65mm		

# MAGNETIC NUT



Impact-Resistant Magnetic Nut Setter-Metric



Impact-Resistant Magnetic Nut Setter-Metric

Tip Size.	mm	Tip Size.	mm
5mm	48mm	10mm	65mm
5.5mm	48mm	11mm	65mm
6mm	48mm	12mm	65mm
7mm	48mm	13mm	65mm
8mm	48mm	14mm	65mm
9mm	48mm	6mm	100mm
10mm	48mm	8mm	100mm
11mm	48mm	10mm	100mm
12mm	48mm	6mm	150mm
13mm	48mm	8mm	150mm
5mm	65mm	10mm	150mm
6mm	65mm	6mm	300mm
7mm	65mm	8mm	300mm
8mm	65mm	10mm	300mm
9mm	65mm		

Tip Size.	mm	Tip Size.	mm
3/16	48mm	3/8	65mm
7/32	48mm	7/16	65mm
1/4	48mm	15/32	65mm
3/19	48mm	1/2	65mm
5/16	48mm	9/16	65mm
11/32	48mm	1/4	100mm
3/8	48mm	5/16	100mm
7/16	48mm	3/8	100mm
15/32	48mm	1/4	150mm
1/2	48mm	5/16	150mm
3/16	65mm	3/8	150mm
1/4	65mm	1/4	150mm
9/32	65mm	5/16	300mm
5/16	65mm	3/8	300mm
11/32	65mm		